POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS
Total 2003 Population 68,330 Population per square mile 85 County ranking in state (1-72) 23	Community Options and MA Waiver as HSRS reports costs for services Clients Costs	Staffing - FTE Number Population Total staff 22.8 3.3 Administrative 4.0 0.6
Age Female Male Total 0-14 6,070 6,470 12,550 15-19 3,230 3,170 6,410 20-24 4,090 4,250 8,340	Clients Costs COP 11 \$115,982 MA Waiver * CIP1A 2 \$24,479 CIP1B 24 \$186,809 CIP2 0 \$0	Total staff 22.8 3.3 Administrative 4.0 0.6 Public health nurses 9.5 1.4 Other prof. staff 5.9 0.9 Technical/Paraprof. 3.4 0.5 Support staff .
25-29 1,860 2,160 4,010 30-34 1,820 1,990 3,810 35-39 2,240 2,320 4,560 40-44 2,630 2,640 5,270	MA Wai ver * CI P1A 2 \$24, 479 CI P1B 24 \$186, 809 CI P2 0 \$0 COP-W 0 \$0 CSLA 16 \$102, 915 Brain I nj ury 0 \$0 Total COP/Wvrs 53 \$314, 203	Fundi ng Per capi ta Total \$1,942,509 \$28.28 Local Taxes \$937,429 \$13.65
45-54 4, 830 4, 890 9, 720 55-64 3, 010 3, 070 6, 080	\$83,985 of the above waiver costs	ET GENGED ESTABLISHMENTS
65-74 2,020 1,810 3,830 75-84 1,560 1,080 2,640 85+ 780 340 1,130 Total 34,150 34,180 68,330	were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.	Type Capacity Facilities Bed & Breakfast 25 7 Camps 686 10 Hotels, Motels 1,315 18 Tourist Rooming 8 2 Pools 40
Age Female Male Total 0-17 7,960 8,320 16,300 18-44 13,980 14,680 28,650	* Waiver costs reported here include federal funding. Clients Costs	Tourist Rooming 8 2 Pools 40 Restaurants 318 Vending 2
45-64 7, 840 7, 960 15, 800 65+ 4, 360 3, 230 7, 600 Total 34, 150 34, 180 68, 330	Eligible and Waiting 0 n/a	
Poverty Estimates for 2000	Family Care 801 \$18, 106, 825	WIC PARTICIPANTS
Estimate (C.I.+/-) All ages 6,399 312 9.5% (5%) Ages 0-17 1,394 119 8.6% (9%)	Note: In 2003 this county operated under the Family Care waiver. Eligible and waiting clients are phased into Family Care. Hence, clients can incur costs for both COP/waivers and Family Care.	Pregnant/Postpartum 537 Infants 562 Children, age 1-4 724 Total 1,823
EMPLOYMENT		CANCER INCIDENCE (2002)
Average wage for jobs covered by unemployment compensation \$29,694 (place of work) Annual	Home Health Agencies 0 Patients 380 Patients per 10,000 pop. 56	Pri mary Si te Breast 36 Cervi cal 2 Col orectal 25
Labor Force Estimates Average	Nursing Homes 2 Licensed beds 308	Lung and Bronchus 29 Prostate 42
Civilian Labor Force 40,726 Number employed 38,666 Number unemployed 2,060 Unemployment rate 5.1%	Nursing Homes 2 Licensed beds 308 Occupancy rate 70.7% Residents on Dec. 31 213 Residents age 65 or older per 1,000 population 27	Other sites 119 Total 253
Unempl oyment rate 5.1%	per 1,000 population 27	Note: Totals shown are for invasive cancers only.

			NATA	ALITY				
TOTAL LIVE BIRTHS		772	Birth Order	Births	Percent	Marital Status		
			First	322	42	of Mother	Bi rths	Percent
Crude Live Birth Rate	<u> </u>	11. 3	Second			Marri ed	600	78
General Fertility Rat		48. 6	Thi rd	107	14	Not married	172	22
constant to the ty mat	. •		Fourth or higher	82	11	Unknown	0	
live births with repo	orted		Unknown	0	34 14 11 0		· ·	· ·
Live births with repo	n tou	9 1.2%	O I I C I O II I	J	J	Educati on		
Congeni tai anomari es		7 1.2%				of Mother	Bi rths	Percent
Delivery Type	Ri rths	Percent	1st Prenatal Visit	Ri rths	Percent	Elementary or le		1
Vaginal after	Di i tiis	i di ddiit	1st trimester	657	85	Some high school	46	6
previ ous cesarean	10	2			11			32
Forceps	17	1	3rd trimester	24	3	High school Some college	229	30
Othor yadinal	566	1 73 14	No visits	85 24 5 1	1	College graduate	240	31
Other vaginal Primary cesarean	111	13	Unknown	1	<. 5	Unknown	240	<. 5
Repeat cesarean	72	9	OHKHOWH	į.	۷. 5	UTIKITOWIT	2	\. 5
Repeat Cesai eali	12	7	Prenatal Visits	Bi rths	Percent	Smoking Status		
Bi rthwei ght	Ri rtho	Percent	No visits	5	Per cent 1	Smoking Status of Mother	Bi rths	Percent
Birthweight	בוו נווא	0. 6	1-4	19	2	Smoker	99	13
<1,500 gm	2	0.0						
1, 500-2, 499 gm	5 33 734 0	4. 3	5-9	118	15	Nonsmoker		87
2, 500+ gm	/34	95. 1	10-12	326	42	Unknown	0	0
Unknown	Ü	0	13+	303	39			
			Unknown	1	<. 5			
1			Low Dirthwoight		Trimoct	or of Eirct Dropata	l Vici+	
			Low Birthweight	1ct Tr	Tri mest	er of First Prenata	l Visit	/Unknown
Page /Ethni ci ty	Dirths D	lorcont	(under 2,500 gm)	1st Tr	imester	2nd Trimester	Other/	'Unknown
Race/Ethni ci ty	Births P	ercent	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White	698	90	(under 2,500 gm) Births Percent 34 4.9	Bi rths 615	imester Percent 88	2nd Trimester	Other/	'Unknown Percent 3
White	698	90 1	(under 2,500 gm) Births Percent	Births 615 5	i mester Percent 88 100	2nd Trimester Births Percent	Other/ Bi rths 22	Percent 3
White Black/Afr. American American Indian	698 5 6	90 1 1	(under 2,500 gm) Births Percent 34 4.9 1 20.0	Bi rths 615 5 3	imester Percent 88 100 50	2nd Trimester Births Percent 61 9 	Other/ Bi rths 22 3	Percent 3 50
White Black/Afr. American American Indian	698 5 6	90 1 1	(under 2,500 gm) Births Percent 34 4.9 1 20.0 . 3 9.4	Bi rths 615 5 3 20	imester Percent 88 100 50 63	2nd Trimester Births Percent 61 9 9 28	Other/ Births 22 3 3	Percent 3 50 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	698 5 6 32 24	90 1 1 4 3	(under 2,500 gm) Births Percent 34 4.9 1 20.0 . 3 9.4	Bi rths 615 5 3 20 10	imester Percent 88 100 50 63 42	2nd Trimester Births Percent 61 9 9 28 12 50	Other/ Bi rths 22 3	Percent 3 50
White Black/Afr. American American Indian	698	90 1 1	(under 2,500 gm) Births Percent 34 4.9 1 20.0 . 3 9.4	Bi rths 615 5 3 20	imester Percent 88 100 50 63	2nd Trimester Births Percent 61 9 9 28	Other/ Births 22 3 3	Percent 3 50 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	698 5 6 32 24	90 1 1 4 3	(under 2,500 gm) Births Percent 34 4.9 1 20.0 3 9.4	Bi rths 615 5 3 20 10	i mester Percent 88 100 50 63 42 57	2nd Trimester Births Percent 61 9 9 28 12 50 3 43	0ther/ Bi rths 22	Percent 3 50 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	698 5 6 32 24 7	90 1 1 4 3 1	(under 2,500 gm) Births Percent 34 4.9 1 20.0 . 3 9.4 Low Birthweight	Bi rths 615 5 3 20 10 4	ri mester Percent 88 100 50 63 42 57	2nd Trimester Births Percent 61 9 9 28 12 50 3 43er of First Prenata	Other/ Births 22	Percent 3 50 9 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	698 5 6 32 24 7	90 1 1 4 3 1 	(under 2,500 gm) Births Percent 34 4.9 1 20.0 . 3 9.4 Low Birthweight (under 2,500 gm)	Bi rths 615 5 3 20 10 4 	ri mester Percent 88 100 50 63 42 57 Tri mest	2nd Trimester Births Percent 61 9 9 28 12 50 3 43er of First Prenata 2nd Trimester	Other/ Births 22	Percent 3 . 50 9 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	698 5 6 32 24 7 Fe Bi rths	90 1 1 4 3 1 	(under 2,500 gm) Births Percent 34 4.9 1 20.0 . 3 9.4 Low Birthweight	Bi rths 615 5 3 20 10 4 	ri mester Percent 88 100 50 63 42 57	2nd Trimester Births Percent 61 9 9 28 12 50 3 43er of First Prenata 2nd Trimester	Other/ Births 22	Percent 3 50 9 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	698 5 6 32 24 7 Fe Bi rths	90 1 4 3 1 ertility Rate 	(under 2,500 gm) Births Percent 34 4.9 1 20.0 . 3 9.4 Low Birthweight (under 2,500 gm) Births Percent	Bi rths 615 5 3 20 10 4 1st Tr Bi rths *	ri mester Percent 88 100 50 63 42 57 Tri mest ri mester Percent	2nd Trimester Births Percent 61 9 9 28 12 50 3 43er of First Prenata 2nd Trimester Births Percent *	Other/ Births 22	Percent 3 . 50 9 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	698 5 6 32 24 7 Fe Bi rths 1 13	90 1 4 3 1 ertility Rate 7	(under 2,500 gm) Births Percent 34 4.9 1 20.0 . 3 9.4 Low Birthweight (under 2,500 gm) Births Percent * 1 7.7	Bi rths 615 5 3 20 10 4 1st Tr Bi rths *	ri mester Percent 88 100 50 63 42 57 Tri mest ri mester Percent	2nd Trimester Births Percent 61 9 9 28 12 50 3 43er of First Prenata 2nd Trimester Births Percent * 4 31	Other/ Births 22	Percent 3 . 50 9 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	698 5 6 32 24 7 Fe Bi rths 1 13 52	90 1 4 3 1 	(under 2,500 gm) Births Percent 34 4.9 1 20.0 . 3 9.4 Low Birthweight (under 2,500 gm) Births Percent * 1 7.7 4 7.7	Bi rths 615 5 3 20 10 4 1st Tr Bi rths * 7	ri mester Percent 88 100 50 63 42 57 Tri mest ri mester Percent . 54 75	2nd Trimester Births Percent 61 9 9 28 12 50 3 43er of First Prenata 2nd Trimester Births Percent * 4 31 12 23	Other/Births 22 . 3 3 2 I Visit Other/Births * 2	Percent 3 . 50 9 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	698 5 6 32 24 7 	90 1 4 3 1 	(under 2,500 gm) Births Percent 34 4.9 1 20.0 . 3 9.4 Low Birthweight (under 2,500 gm) Births Percent * 1 7.7 4 7.7 10 6.1	Bi rths 615 5 3 20 10 4 1st Tr Bi rths * 7 39 126	ri mester Percent 88 100 50 63 42 57 Tri mest ri mester Percent . 54 75 77	2nd Trimester Births Percent 61 9 9 28 12 50 3 43er of First Prenata 2nd Trimester Births Percent * 4 31 12 23 19 12	Other/Births 22 . 3 3 2	Percent 3 . 50 9 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	698 5 6 32 24 7 	90 1 4 3 1 	(under 2,500 gm) Births Percent 34 4.9 1 20.0 3 9.4 Low Birthweight (under 2,500 gm) Births Percent * 1 7.7 4 7.7 10 6.1 10 4.0	Bi rths 615 5 3 20 10 4 1st Tr Bi rths * 7 39 126 228	ri mester Percent 88 100 50 63 42 57 Tri mest ri mester Percent . 54 75 77 90	2nd Trimester Births Percent 61 9 9 28 12 50 3 43 er of First Prenata 2nd Trimester Births Percent * 4 31 12 23 19 12 20 8	Other/ Bi rths 22	Percent 3 . 50 9 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	698 5 6 32 24 7 	90 1 4 3 1 	(under 2,500 gm) Births Percent 34 4.9 1 20.0 3 9.4 Low Birthweight (under 2,500 gm) Births Percent * 1 7.7 4 7.7 10 6.1 10 4.0 8 4.6	Bi rths 615 5 3 20 10 4 1st Tr Bi rths * 7 39 126 228 158	ri mester Percent 88 100 50 63 42 57 Tri mest ri mester Percent . 54 75 77 90 91	2nd Trimester Births Percent 61 9 9 28 12 50 3 43 er of First Prenata 2nd Trimester Births Percent * 4 31 12 23 19 12 20 8 14 8	Other/Births 22 . 3 3 2	Percent 3 . 50 9 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	698 5 6 32 24 7 	90 1 1 4 3 1 	(under 2,500 gm) Births Percent 34 4.9 1 20.0 . 3 9.4 Low Birthweight (under 2,500 gm) Births Percent * 1 7.7 4 7.7 10 6.1 10 4.0 8 4.6 5 5.1	Bi rths 615 5 3 20 10 4 1st Tr Bi rths * 7 39 126 228 158 85	ri mester Percent 88 100 50 63 42 57 Tri mest ri mester Percent . 54 75 77 90 91 86	2nd Trimester Births Percent 61 9 9 28 12 50 3 43 er of First Prenata 2nd Trimester Births Percent * 4 31 12 23 19 12 20 8 14 8 14 14	Other/Births 22	Percent 3 . 50 9 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	698 5 6 32 24 7 7 Fe Bi rths 1 13 52 163 253 174 99 17	90 1 1 4 3 1 	(under 2,500 gm) Births Percent 34 4.9 1 20.0 3 9.4 Low Birthweight (under 2,500 gm) Births Percent * 1 7.7 4 7.7 10 6.1 10 4.0 8 4.6	Bi rths 615 5 3 20 10 4 1st Tr Bi rths * 7 39 126 228 158	ri mester Percent 88 100 50 63 42 57 Tri mest ri mester Percent . 54 75 77 90 91 86 76	2nd Trimester Births Percent 61 9 9 28 12 50 3 43 er of First Prenata 2nd Trimester Births Percent * 4 31 12 23 19 12 20 8 14 8	Other/ Bi rths 22	Percent 3 . 50 9 8
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	698 5 6 32 24 7 	90 1 1 4 3 1 	(under 2,500 gm) Births Percent 34 4.9 1 20.0 . 3 9.4 Low Birthweight (under 2,500 gm) Births Percent * 1 7.7 4 7.7 10 6.1 10 4.0 8 4.6 5 5.1	Bi rths 615 5 3 20 10 4 1st Tr Bi rths * 7 39 126 228 158 85	ri mester Percent 88 100 50 63 42 57 Tri mest ri mester Percent . 54 75 77 90 91 86	2nd Trimester Births Percent 61 9 9 28 12 50 3 43 er of First Prenata 2nd Trimester Births Percent * 4 31 12 23 19 12 20 8 14 8 14 14	Other/Births 22	Percent 3 . 50 9 8

MORBI DI TY			MOI	RTALLTY		
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (neonatal, and Perinatal and	(except in Dostneor Difetal de	nfant) are p natal death eath rates a	oer 100,000 population. rates are per 1,000 li are per 1,000 live birt culated for fewer than	Infant, ve births. hs plus	
Di sease Number Campyl obacter Enteritis 15 Gi ardi asis 12 Hepatitis Type A 0 Hepatitis Type B** <5 Hepatitis NANB/C 18 Legi onnai re's 0 Lyme 42 Measl es 0 Meni ngi tis, Aseptic 6 Meni ngi tis, Bacterial 0	TOTAL DEATHS	Deaths	417 610 Rate	Selected Underlying Cause Heart Disease (total) Ischemic heart disea Cancer (total) Trachea/Bronchus/Lur Colorectal Female Breast Cerebrovascular Disea Lower Resp. Disease Pneumonia & Influenza	rse 78 90 18 8 9 1se 39 23	Rate 174 114 132
Mumps 0	65-74	61	1, 595	Accidents	15	
Pertussis 0 Sal monel Losis 12	75-84 85+	126 142	4, 763 12, 622	Accidents Motor vehicle Diabetes	9 6	
Shi gel I osi s <5 Tubercul osi s 0		142	12, 022	Infect. /Parasitic Dis Suicide	s. 8 9	
* 2003 provi si onal data.	Infant Mortality	Deaths	Rate	* Based on female pop	oul ati on.	
** Includes all positive HBsAg	Mortality Total Infant Neonatal	2				
test results.	Neonatal Postneonatal	2	•	ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA		
	Unknown		•	OK CONTRIBUTING CA	OSE OF DEATH	
Sexually Transmitted Disease Chlamydia Trachomatis 106 Genital Herpes 45 Gonorrhea 9	Race of Mother White Black	2		Alcohol Other Drugs Both Mentioned * Includes tobacco us	5 48* 1 se (see page	70 7)
Syphilis <5	Hi spani c	:				
	Laoti an/Hmong	•	•	MOTOR VEHIC	LE CRASHES -	
I MMUNI ZATI ONS	Other/Unknown Birthweight <1,500 gm	1	•	Note: These data are of crash, not	on residence	
Children in Grades K-12 by	1,500-2,499 gm			Type of Motor	Persons Pe	rsons
Compliant 10.011	2,500+ gm	1	•	Vehicle Crash	Injured K	illed
Compliance Level Compliant 10,911 Non-compliant 63 Percent Compliant 99.4	Unknown Peri natal		•	Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation:	603 75	2
77. 4	Mortality	Deaths	Rate	For OWI	48	0
	Total Perinatal Neonatal Fetal	5	•	For Speeding	19	0
	Neonatai Fetal	2	•	Motorcyclist Ricyclist	18 17	0 1
	l etai	3	•	For Speeding For Speeding Motorcyclist Bicyclist Pedestrian	6	Ó
·	· 					

					ITALIZATIONS					
	Per	Average		Charge			Per	Average		Charge
DI SEASE /	1, 000	Staў			DI SEASE /		1, 000		Average	Per
AGE GROUP Number	Pop	(Days)	Charge	Capi ta	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
Injury-Related: All	Al cohol -Rel ated									
Total 465	6. 8	5. 4	\$19, 067	\$130	Total	127	1. 9	4. 6	\$7, 250	\$13
<18 28	1. 7	3. 4	\$17,007	\$20	18-44	66	2. 3	4. 0	\$7, 230 \$7, 749	\$13 \$18
18-44 113		3. U 6. 2	\$24, 419	\$20 \$96	45-64	53	3. 4	4. 2	\$6, 682	\$10 \$22
45-64 115	7. 3	0. Z	\$19, 052	\$139	Pneumonia and I		3. 4	4. /	\$0,002	ΨZZ
65+ 209		5. Z	\$17, 032 \$17, 170	\$472	Total	176	2. 6	4. 2	\$9, 316	\$24
Injury: Hip Fracture		ა. ა	\$17, 170	\$472	10tal <18	26	1.6	4. 2 2. 9	\$9, 310 \$5, 878	\$24 \$9
Total 54	0.8	5. 2	\$17, 551	\$14	45-64	20	1. 3	2. 9 5. 0	\$3, 676 \$12, 989	\$16
65+ 48		5. 2	\$17, 331 \$16, 975	\$14 \$107	65+	114	15.0	4. 3	\$8, 828	\$132
I nj ury: Poi soni ngs	0. 3	5. 0	\$10, 973	\$107	Cerebrovascul ar		15.0	4. 3	ΦO, OZO	Φ132
Total 41	0. 6	3. 2	\$8, 457	\$5	Total	122	1. 8	4. 1	\$12, 961	\$23
18-44 20		3. 2 2. 8		φο \$5	45-64	23	1. 8	4. 1 3. 7		\$23 \$22
18-44 20	0. 7	2. 8	\$7, 609	ÞЭ	45-64 65+	23 98	12. 9		\$15, 168	
Dovobi otri o							12. 9	4. 2	\$12, 391	\$160
Psychi atri c	г 1	7.0	¢/ 007	¢27	Chronic Obstruc	tive Puim	onary L	Ji Sease	¢/ 701	#11
Total 372 <18 76	5. 4 4. 7	7. 0 9. 6	\$6, 887 \$7, 491	\$37	Total <18	109	1. 6	3. 3	\$6, 701	\$11
				\$35 #40	18-44	14	•	•	•	•
18-44 193		5. 7	\$5, 924	\$40	18-44	5	1.0	· 0	φ. οΓ.	
45-64 64		8. 2	\$8,032	\$33	45-64	21	1. 3	3.0	\$6, 356	\$8
65+ 39	5. 1	6. 7	\$8, 594	\$44	65+	69	9. 1	3. 6	\$7, 546	\$69
O Ht Di					Drug-Rel ated	4.4	0 (47.0	440 440	Φ7
Coronary Heart Di sease	4 (2 4	# 00 FF0	#400	Total	41	0.6	17.0	\$12, 160	\$7
Total 313		3. 4	\$22, 553	\$103	18-44	13		•	•	•
45-64 117	7. 4		\$24, 583	\$182	T-4-1 11 4-1:					
65+ 181	23. 8	3.8	\$21, 762	\$519	Total Hospi tali	zations	04.0	2.0	¢10 404	#00 /
Maliament Nasalasma (C		A.I. I			Total		94.0	3.8	\$10, 484	\$986
Malignant Neoplasms (C	ancers):	ALL	# 00 000	4/4	<18	1, 201	73. 7	3. 4	\$5,053	\$372
Total 205		6. 2	\$20, 308	\$61	18-44	1, 834	64. 0	3. 4	\$8, 430	\$540
18-44 17					45-64	1, 256	79.5	4. 1		\$1, 149
45-64 70			\$21, 154	\$94	65+	2, 135	281. 1	4. 3	\$12, 973	\$3, 646
65+ 115	15. 1	5.8	\$18,055	\$273	55)	HOCDIT	「ハ」」フ ゕナ・	ONC*	
Neoplasms: Female Br					PF		HO251	IALI ZATI		
Total 15		•	•		Total	709	10. 4	3. 9	\$8, 255	\$86
Neoplasms: Colo-rect	aı	0 4	¢04 500	Φ7	<18	93	5. 7	2.6	\$4, 441	\$25
Total 22			\$21, 502	\$7	18-44	81	2.8	3. 7	\$8, 362	\$24
65+ 15	•	•			45-64	108	6.8	5. 0	\$11, 293	\$77
Neoplasms: Lung					65+	427	56. 2	4. 0	\$8, 296	\$466
Total 3	•	•	•	•						
Di abetes					* Hospitalizations	s for cond	itions	where t	imely and	effecti v
Total 54	0.8	5.0	\$12, 933	\$10	ambulatory care ca	an reduce	the lik	kel i hood	of hospi	tal i zati o
65+ 19									-	